

# Infrared Method Water Vapor Permeability Analyzer W401L




#### Introduction

Infrared method water vapor transmission rate tester W401L is a high-end precision packaging material testing instrument, newly developed and upgraded by GBPI Research and Development Team based on ASTM, GB standard requirements and market demand. It is used to test the water vapor transmission rate of samples under set temperature and humidity conditions. It is suitable for the water vapor transmission rate performance test of films, sheets, papers, packages and various materials in the fields of food, medicine, medical equipment, daily chemistry, photovoltaic electronics, etc.

#### Test principle

W401L water vapor transmission rate tester adopts the principle of infrared method. Fix the pre-treated sample in the middle of the test chamber, divide the test chamber into a high-humidity side and a low-humidity side, the humidified nitrogen flows on one side of the film, and the dry nitrogen (carrier gas) flows at a fixed flow rate on the other side, in the presence of a humidity gradient, water vapor will permeate from the high-humidity side to the low-humidity side, and the water vapor that passes through the sample is carried to the infrared sensor by the flowing dry nitrogen, and the water vapor transmission rate (and other parameters) of the sample is obtained by the electrical signal output by the sensor.



Working principle diagram

## Standard

 $ASTM \ F \ 1249, \ BS \ EN \ ISO \ 15106-2, \ JIS \ K7129, \ GB/T \ 26253, \ YBB \ 00092003$ 

# **Specification**

Item	Technical Parameters	
Test range	$0.01 \sim 200 \text{ g/(m}^2 \cdot 24\text{h)}$	
Resolution	0.0001 g/(m <sup>2</sup> ·24h)	
Temperature control	15∼45°C	
range	13************************************	
Temperature control	±0.2°C	
accuracy	±0.2 C	
Humidity control	(5~90) %RH, 100%RH	
range	(	
Humidity control	$\pm 2\% \mathrm{RH}$	
accuracy		
Permeable area	50.24 cm <sup>2</sup>	
Sample size	Ф100 mm	
Sample thickness	≤3 mm	
Sample quantity	1 piece	
Carrier gas	99.999% Nitrogen (user-provided)	
Carrier gas pressure	≥0.1 MPa	
Carrier gas flow	5~100 mL/min	
Dimension	380*545*315mm	
Power	450 W	
Power supply	AC 220 V, 50 Hz	

#### **Features**

#### **♦** High-precision patented infrared moisture sensor

The high-precision infrared moisture analysis sensor independently developed and prepared by GBPI has ultra-high stability, ultra-low failure rate and ultra-long service life, high sensitivity, and a resolution of up to 0.0001 g/(m2 · 24h).

#### Accurate and reliable test data

Precise control of test temperature and humidity. Equipped with a high-precision temperature and humidity sensor, the temperature and humidity of the test chamber are stable, the temperature control accuracy can reach 0.2  $^{\circ}$  C, and the humidity can be accurate to  $\pm 2\%$ RH.

Automatic test mode, real-time monitoring of temperature, humidity, flow values and curves during the test process, high test repeatability.

#### ◆ Ultra-wide test range, high instrument applicability

The instrument is equipped with a single cavity, which is compact and flexible, saving space.

Ultra-wide test range  $[0.01 \sim 200 \text{ g/(m2} \cdot 24\text{h})]$ , meeting the test requirements of various high, medium and low barrier materials, with the addition of adapter accessories, it can test the water vapor permeability of bottles, bags, bowls and other containers excess.

#### **♦** Intelligent operating system, global certification

Self-developed intelligent operating system, modular design, flexible setting of test parameters, intuitive and convenient operation, while meeting the needs of scientific research and testing.

Designed according to the GMP appendix "Computerized System", it has an audit trail function and multi-level authority settings for users, which can meet the needs of the pharmaceutical industry for data traceability.

Personalized test reports can be set on demand, data output forms in multiple formats are supported, electronic signatures, and online submission of audit reports are supported.

#### ◆ Professional calibration service, accurate and reliable data

Our company has the Water Vapor Transmission Rate "National Standard Substance Grading Certificate" approved and issued by the "General Administration of Quality Supervision, Inspection and Quarantine of the People's Republic of China", the standard substance number (GBW(E)130543 / GBW(E)130544). The self-developed national standard material is used to calibrate and verify the instrument to ensure the accuracy, versatility and authority of the test data.

## **Application**

Film	Water vapor transmittance test of various plastic films (PP/PET/PE/PVC/BOPP/CPP, etc.), plastic composite films, paper-plastic composite films, metal composite films, co-extrusion films, aluminized films, degradable packaging films (PLA/PBAT/PBS, etc.) and other film-like materials.
Sheet	Water vapor transmittance test of solid pharmaceutical hard sheets (PP/PVC/PTP, etc.), metal composite sheets, rubber sheets and other flakes.
Paper, cardboard and its composites	Water vapor transmittance test of coated paper, silicone paper, cigarette bag aluminized paper, paper aluminum-plastic composite sheet and other paper and cardboard.
Medicinal patches	Water vapor transmission performance test of medical plasters



Package

Customizable fixtures can be extended to packages such as pharmaceutical polyethylene bottles, sealed bags, pharmaceutical ointment tubes, infusion hoses, plastic trays, etc.

### **Factory configuration**

Standard configuration	Power cord, communication line, sample cutter, sealing grease, ferrule joint,		
	reference material, hexagonal wrench, syringe, sealing ring, syringe sealing		
	ring, fork wrench, Phillips screwdriver, mouse, metal gas tube		
Optional	Computer, Metrology certificate, Air compressor		
Remark	1. Standard laboratory environment;		
	2. Power requirements: 220V regulated power supply, one three-hole		
	three-position switch socket;		
	3. Computer requirements: standard configuration (Windows10, with a		
	nine-pin serial port);		
	4. Other accessories: a bottle of 40 liters of nitrogen gas (purity above		
	99.999%) is used for calibration, and other gases are customized;		
	5. Drying dish (all samples need to be dehydrated and degassed for 24 hours);		
	6. Distilled or purified water;		
	7. Air compressor.		

Note: GBPI has always been committed to the innovation and improvement of product performance and function. For this reason, product technical specifications and appearance will also be changed accordingly. The above situation will not be notified. GBPI reserves the right of modification and final interpretation.

